

Rack Mount Patch Panel

ODU-L6

Overview

Rack Mount Patch Panel ODU-L6 provides a centralized point for termination, splice, storage and distribution of optical fibers, which are middle capacity and both side operation, are suitable for central offices connection points in the OAN, data centers, local area network etc. It is an ideal solution for rack-or cabinet-mounting in compact areas. This unit provides excellent fiber patching management.

Features

- Minimum bend radius controlled.
- Top quality steel with electrostatic painted ensures the strong body and pleasing appearance.
- Fit for 19", 21" and 23" ODF Rack.
- Protected patch panel offers secure environment for adapters, patch cords and pigtails.
- Fully stable patch panel, no risk of movement.
- Adoptable adapter types: FC, SC, LC/Duplex.
- Adapter Panel adopted for easy operation.
- Rotate Type, very easy installation and maintenances.
- Protected patch panel offers secure environment for adapters, patch cords and pigtails.



Dimensions and Capability

Height	Depth(mm)	Width	Capacity	
			FC/SC/ST	LC Duplex
1U	280	19"/21"/23"	24	48
2U	280	19"/21"/23"	48	96

* Height is upon request.



LongXing Telecom
Anju Road, Beilun District, Ningbo, China
info@lxtelecom.com
www.lxtelecom.com



LongXing Telecom



LongXingTelecom



+86 574 87908988
+86 574 87908188
Ver: 300915

LONGXING

Structured Cabling Solutions

Operation Conditions

Temperature	-5°C -- 60°C
Humidity	90% at 30°C
Air Pressure	70kPa – 106kPa

Shipping Information

Package Contents	Patch panel, 1 unit
Package Dimensions(W*H*D)	It depends on the dimensions of the product
Material	Carton box
Weight	It depends on the dimensions of the product
Lead Time	10-15 working days normally

Part Details



Catalog Number

ODU-L6



Material
M = Metal
S = Stainless steel
O = Other*

Capacity
Enter the capacity required

ODU Color
W = White
B = Black
G = Grey
O = Other*

Height
1 = 1U
2 = 2U
3 = 3U
4 = 4U
O = Other*

Connector Type
SU = SC UPC
SA = SC APC
FU = FC UPC
FA = FC APC
LU = LC UPC (duplex)
LA = LC APC (duplex)
OO = Other*

Adapter Quantity
Enter the quantity required
N = No requirement

Fusion Tube
Y = Yes
N = No

Cable Color
Y = Yellow
B = Blue
W = White
O = Orange
G = Green
Z = Brown
S = Slate
R = Red
H = Black
P = Purple
F = Rose
A = Aqua
C = Color coded
N = No requirement

Pigtail Quantity
Enter the quantity required
N = No requirement

Fiber Type	
S = G652D	Single Mode
D = G655	
K = G656	
P = G657A1	
L = G657A2	Multi Mode
B = OM1 (62.5/125μm)	
G = OM1 (50/125μm)	
Q = OM2 (50/125μm)	
W = Om3	
Y = Om4	
O = Other*	
N = No requirement	

Ordering Example:

ODU-L6M4W2SU4S4YN Metal, Four cores, White ODU, 2U, SC UPC, 4 Adapters, G652D, 4 Pigtails, Yellow cable, No fusion tube

Note: *If the required type of any item is not on the relevant list, please use "O" or "OO" as the red cells indicate, and kindly state the required type in the description of PO.



LongXing Telecom
Anju Road, Beilun District, Ningbo, China
info@lxtelecom.com
www.lxtelecom.com



LongXing Telecom



LongXingTelecom



+86 574 87908988
+86 574 87908188
Ver: 300915

LONGXING

Structured Cabling Solutions