

Rack Mount Patch Panel

ODU-L2

Overview

ODF (Optical Distribution Frame) rack mount patch panel ODU-L2 case is adaptable with standard 19", 21" and 23" frames and currently being widely used in LongXing's optical fiber distribution frames. The rack mount is made of top quality metal material. Splice and distribution are integrated in one module. This unit provides excellent fiber patching management. It is an ideal solution for rack-or cabinet-mounting in areas.



Features

- Top quality steel with electrostatic painted ensures the strong body and pleasing appearance.
- Easy installation: 19", 21" and 23" wall mounting.
- Front rack mount brackets work with most network cabinets.
- Removable front door with designation labels.
- Integrated splicing, distribution with fiber storage.
- Vertical cable guides on exit side allow for managed routing and protection of the fiber exiting the panel.
- Multi-functions - Works with all LongXing Series A modules (not just for splicing & terminating, also with options for fiber storage).
- Protected patch panel offers secure environment for adapters, patch cords and pigtails.
- Adoptable adapter types: FC, SC, ST simplex adapters and LC duplex adapters.



Dimensions and Capability

Height	Depth(mm)	Width	Module A1			Module A3	
			Capacity		Module	Capacity	Module
			FC/SC/ST	LC duplex	Capacity	FC/SC	Capacity
4U	250	19"/21"/23"	12	24	1	24	1
			24	48	2	48	2
5U	250	19"/21"/23"	36	72	3	72	3
			48	96	4	96	4

* Height is upon request



LongXing Telecom

Anju Road, Beilun District, Ningbo, China

info@lxtelecom.com

www.lxtelecom.com



LongXing Telecom



LongXing Telecom



+86 574 87908988



+86 574 87908188

Ver: 300915

LONGXING

Structured Cabling Solutions

Operation Conditions

Temperature	-5°C -- 60°C
Humidity	90% at 30°C
Air Pressure	70kPa – 106kPa

Shipping Information

Package Contents	Patch panel, 1 unit
Package Dimensions(W*H*D)	It depends on the dimensions of the product
Material	Carton box
Weight	It depends on the dimensions of the product
Lead Time	10-15 working days normally

Part Details



LongXing Telecom

Anju Road, Beilun District, Ningbo, China

info@lxtelecom.com

www.lxtelecom.com



LongXing Telecom



LongXingTelecom



+86 574 87908988



+86 574 87908188

Ver: 300915

LONGXING

Structured Cabling Solutions

Catalog Number

ODU-L2

Material
M = Metal
S = Stainless steel
O = Other*

Capacity
Enter the capacity required

ODU Color
W = White
B = Black
G = Grey
O = Other*

Height
1 = 1U
2 = 2U
3 = 3U
4 = 4U
O = Other*

Connector Type
SU = SC UPC
SA = SC APC
FU = FC UPC
FA = FC APC
LU = LC UPC (duplex)
LA = LC APC (duplex)
OO = Other*

Adapter Quantity
Enter the quantity required
N = No requirement

Fusion Tube
Y = Yes
N = No

Cable Color
Y = Yellow
B = Blue
W = White
O = Orange
G = Green
Z = Brown
S = Slate
R = Red
H = Black
P = Purple
F = Rose
A = Aqua
C = Color coded
N = No requirement

Pigtail Quantity
Enter the quantity required
N = No requirement

Fiber Type	
S = G652D	Single Mode
D = G655	
K = G656	
P = G657A1	
L = G657A2	
B = OM1 (62.5/125μm)	Multi Mode
G = OM1 (50/125μm)	
Q = OM2 (50/125μm)	
W = Om3	
Y = Om4	
O = Other*	
N = No requirement	

Ordering Example:

ODU-L2M4W2SU4S4YN Metal, Four cores, White ODU, 2U, SC UPC, 4 Adapters, G652D, 4 Pigtails, Yellow cable, No fusion tube

Note: *If the required type of any item is not on the relevant list, please use "O" or "OO" as the red cells indicate, and kindly state the required type in the description of PO.



LongXing Telecom



Anju Road, Beilun District, Ningbo, China



info@lxtelecom.com



www.lxtelecom.com



LongXing Telecom



LongXing Telecom



+86 574 87908988



+86 574 87908188

Ver: 300915

LONGXING

Structured Cabling Solutions