

# Optical Splice & Storage Module

Series II

## Overview

Optical splice and storage module Series I1 is designed for the purpose of optic fiber organization, storage and fiber optic fusion protection within patch panels, fiber optical outdoor cabinets etc.

## Features

- ABS material
- Light and beautiful plastic structure
- RoHS compliant
- Ensuring minimum fiber bending radius
- Separated(left & right) structure and with a cover-plate on fusion tray
- Multi functions: optical fusion and storage
- Suitable for pigtails: SC, LC up to 12 fibers



## Dimensions and Capability

Dimensions (H*W*D)	25*301*180 mm
Left and right separated structure	Left: fiber storage Right: splice incoming fibers with pigtails and store over length pigtails
Capacity	12 core for SC or LC pigtail without adapter
Direction for exit cable	Left or right
Color	Grey



LongXing Telecom  
Anju Road, Beilun District, Ningbo, China  
info@lxtelecom.com  
www.lxtelecom.com



LongXing Telecom



LongXingTelecom  
+86 574 87908988  
+86 574 87908188  
Ver: 101015

**LONGXING**

Structured Cabling Solutions


## Operation Conditions

Temperature	-5°C -- 60°C
Humidity	90% at 30°C
Air Pressure	70kPa – 106kPa

## Shipping Information

Package Contents	Optical distribution modules
Package Dimensions(W*H*D)	75mm*350mm*230mm
Material	Carton box
Weight	0.65kg
Lead Time	10-15 working days normally

## Part Details



# Catalog Number

ODM-II- 

Module Type
I1 = I1

Fusion Tube
Y = Yes
N = No

Connector Type
SU = SC UPC
SA = SC APC
LU = LC UPC (duplex)
LA = LC APC (duplex)
NN = No requirement

Cable Color
Y = Yellow
B = Blue
W = White
O = Orange
G = Green
Z = Brown
S = Slate
R = Red
H = Black
P = Purple
F = Rose
A = Aqua
C = Color coded
N = No requirement

Adapter Quantity
N = No requirement

Pigtail Quantity
Enter the quantity required
N = No requirement

Fiber Type	
S = G652D	Single Mode
D = G655	
K = G656	
P = G657A1	
L = G657A2	
B = OM1 (62.5/125µm)	Multi Mode
G = OM1 (50/125µm)	
Q = OM2 (50/125µm)	
W = Om3	
Y = Om4	
O = Other*	
N = No requirement	

## Ordering Example:

ODM-II-I1SUNP12YN I1 Module, SC UPC, G657A1, 12 Pigtails, Yellow cable, No fusion tubes

**Note :** \*If the required type of any item is not on the relevant list, please use "O" or "OO" as the red cells indicate, and kindly state the required type in the description of PO.

