

# Rack Mount Patch Panel

ODU-L9

## Overview

Rack Mount Patch Panel ODU-L9 provides a centralized point for termination, splice, storage and distribution of optical fibers. This patch panel is suitable for central offices connection points in the OAN, data centers, local area network etc. It is an ideal solution for rack or cabinet-mounting in compact areas. This unit provides excellent fiber patching management.

## Features

- Top quality steel with electrostatic painted ensures the strong body and pleasing appearance.
- Easy installations: 19", 21" and 23" wall mounting.
- Easy operations: Drawer-type.
- Fully stable patch panel, no risk of movement.
- Protected patch panel offers secure environment for adapters, patch cords and pigtails.
- Height: 1U, depends on capacity and adapter type chosen.
- Adoptable adapter types: FC, SC, LC, ST.
- Adapter Panel adopted for easy operation. Cable fixing units provided.
- Optional parts: splice trays, fiber management guides.



## Dimensions and Capability

Height	Depth	Width	Capacity	
			FC/ST	SC/LC duplex
1U	260	19"/21"/23"	48	48



LongXing Telecom  
Anju Road, Beilun District, Ningbo, China  
info@lxtelecom.com  
www.lxtelecom.com



LongXing Telecom



LongXingTelecom



+86 574 87908988  
+86 574 87908188  
Ver: 031219

**LONG XING**

Structured Cabling Solutions


## Operation Conditions

Temperature	-5°C -- 60°C
Humidity	90% at 30°C
Air Pressure	70kPa – 106kPa

## Shipping Information

Package Contents	Patch panel, 1 unit
Package Dimensions(W*H*D)	It depends on the dimensions of the product
Material	Carton box
Weight	It depends on the dimensions of the product
Lead Time	10-15 working days normally

## Part Details



LongXing Telecom  
Anju Road, Beilun District, Ningbo, China  
info@lxtelecom.com  
www.lxtelecom.com



LongXing Telecom



LongXingTelecom



+86 574 87908988  
+86 574 87908188  
Ver: 031219

**LONG XING**

Structured Cabling Solutions

# Catalog Number

ODU-L9



Material
M = Metal
S = Stainless steel
O = Other*

Fusion Tube
Y = Yes
N = No

Capacity
Enter the capacity required

Cable Color
Y = Yellow
B = Blue
W = White
O = Orange
G = Green
Z = Brown
S = Slate
R = Red
H = Black
P = Purple
F = Rose
A = Aqua
C = Color coded
N = No requirement

ODU Color
W = White
B = Black
G = Grey
O = Other*

Height
1 = 1U
2 = 2U
3 = 3U
4 = 4U
O = Other*

Pigtail Quantity
Enter the quantity required
N = No requirement

Connector Type
SU = SC UPC
SA = SC APC
FU = FC UPC
FA = FC APC
LU = LC UPC (duplex)
LA = LC APC (duplex)
OO = Other*

Fiber Type	
S = G652D	Single Mode
D = G655	
K = G656	
P = G657A1	
L = G657A2	
B = OM1 (62.5/125μm)	Multi Mode
G = OM1 (50/125μm)	
Q = OM2 (50/125μm)	
W = Om3	
Y = Om4	
O = Other*	
N = No requirement	

Adapter Quantity
Enter the quantity required
N = No requirement

## Ordering Example:

ODU-L9M4W2SU4S4YN Metal, Four cores, White ODU, 2U, SC UPC, 4 Adapters, G652D, 4 Pigtails, Yellow cable, No fusion tube

**Note:** \*If the required type of any item is not on the relevant list, please use "O" or "OO" as the red cells indicate, and kindly state the required type in the description of PO.



LongXing Telecom  
Anju Road, Beilun District, Ningbo, China  
info@lxtelecom.com  
www.lxtelecom.com



LongXing Telecom



LongXingTelecom



+86 574 87908988  
+86 574 87908188  
Ver: 031219

**LONGXING**

Structured Cabling Solutions